

婦人科腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年
Nagao S, Nishio S, Michimae H, Tanabe H, Okada S, Otsuki T, Tanioka M, Fujiwara K, Suzuki M, Kigawa J. Applicability of the concept of "platinum sensitivity" to recurrent endometrial cancer: the SGSG-012/GOTIC-004/Intergroup study. : Gynecol Oncol. 131(3): 567-73, 2013
Takano M, Ochi H, Takei Y, Miyamoto M, Hasumi Y, Kaneta Y, Nakamura K, Kurosaki A, Satoh T, Fujiwara H, Nagao S, Furuya K, Yokota H, Ito K, Minegishi T, Yoshikawa H, Fujiwara K, Suzuki M. Surgery for endometrial cancers with suspected cervical involvement: is radical hysterectomy needed (a GOTIC study)? : Br J Cancer. 109(7):1760-5, 2013
Kurosaki A, Hasegawa K, Kato T, Abe K, Hanaoka T, Miyara A, O'Shannessy DJ, Somers EB, Yasuda M, Sekino T, Fujiwara K. Serum Folate Receptor Alpha (FRA) as a Biomarker for Ovarian Cancer: Implications for Diagnosis, Prognosis and Predicting its Local Tumor Expression. Int J Cancer. 15;138(8):1994-2002,2016
Jang M, Yew PY, Hasegawa K, Ikeda Y, Fujiwara K, Fleming GF, Nakamura Y, Park JH. Characterization of T cell repertoire of blood, tumor, and ascites in ovarian cancer patients using next generation sequencing. Oncoimmunology. Apr 14;4(11):e1030561,2015
Ikeda Y, Hasegawa K, Kurosaki A, Miyara A, Hanaoka T, Shintani D, Imai Y, Nishikawa T, Oda K, Fujiwara K. The Risk of Ovarian Malignancy Algorithm(ROMA) as a Predictive Marker of Peritoneal Dissemination in Epithelial Ovarian Cancer Patients. Oncol Res Treat. 38:276-281,2015

乳腺腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年
Ueda S, Nakamiya N, Matsuura K, Shigekawa T, Sano H, Hirokawa E, Shimada H, Suzuki H, Oda M, Yamashita Y, Kishino O, Kuji I, Osaki A, Saeki T. Optical imaging of tumor vascularity associated with proliferation and glucose metabolism in early breast cancer: clinical application of total hemoglobin measurements in the breast. BMC Cancer. 2013 Oct 31;13:514. doi: 10.1186/1471-2407-13-514.
Ueda S, Yoshizawa N, Shigekawa T, Takeuchi H, Ogura H, Osaki A, Saeki T, Ueda Y, Yamane T, Kuji I, Sakahara H. Near-infrared diffuse optical imaging for early prediction of breast cancer response to neoadjuvant chemotherapy: a comparative study using FDG-PET/CT. J Nucl Med. 2016 Mar 3. pii: jnumed. 115. 167320.
Shimada H, Ueda S, Shigekawa T, Takeuchi H, Hirokawa E, Sugitani I, Sugiyama M, Takahashi T, Matsuura K, Yamane T, Kuji I, Hasebe T, Osaki A. Neoadjuvant triweekly nanoparticle albumin-bound paclitaxel followed by epirubicin and cyclophosphamide for Stage II/III HER2-negative breast cancer: evaluation of efficacy and safety. Jpn J Clin Oncol. 2015 Jul; 45(7): 642-9. doi: 10.1093/jjco/hyv055. Epub 2015 May 19.

Sugiyama m, Hasebe T, Shimada H, Shimizu K, Shimizu M, Yasuda M, Ueda S, Shigekawa T, Osaki A, Saeki T. Grading system for blood vessel tumor emboli of invasive ductal carcinoma of the breast Hum Pathol. 2015 Jun; 46(6) : 906-16. doi:10. 1016/j. humpath. 2015. 03. 001. Epub 2015 Mar 18.

Shigekawa T, Osaki A, Sekine H, Sato N, Kanbayashi C, Sano H, Takeuchi H, Ueda S, Nakamiya N, Sugitani I, Sugiyama M, Shimada H, Hirokawa E, Takahasi T, Saeki T. Safety and feasibility of adjuvant chemotherapy with S-1 in Japanese breast Cancer. 2015 Apr 10;15:253. doi: 10. 1186/s12885-015-1289-7.

脳卒中内科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年
<p>申請番号：12-159</p> <p>Deguchi I, Hayashi T, Ohe Y, Kato Y, Nagoya H, Fukuoka T, Maruyama H, Horiuchi Y, Tanahashi N. The CHA(2)DS(2)-VASc score reflects clinical outcomes in nonvalvular atrial fibrillation patients with an initial cardioembolic stroke. J Stroke Cerebrovasc Dis. 2013; 22: e343-6.</p>
<p>申請番号：12-158</p> <p>Deguchi I, Hayashi T, Kato Y, Nagoya H, Ohe Y, Fukuoka T, Maruyama H, Horiuchi Y, Tanahashi N. Treatment outcomes of tissue plasminogen activator infusion for branch atheromatous disease. J Stroke Cerebrovasc Dis. 2013 ; 22: e168-72.</p>
<p>申請番号：12-041</p> <p>Deguchi I, Ogawa H, Ohe Y, Nemoto M, Tanahashi N. Rate of antithrombotic drug use and clinical outcomes according to CHADS2 scores in patients with an initial cardioembolic stroke who had nonvalvular atrial fibrillation. J Stroke Cerebrovasc Dis. 2013; 22: 846-50.</p>
<p>申請番号：14-017</p> <p>Hayashi T, Seahara Y, Kato Y, Fukuoka T, Deguchi I, Ohe Y, Maruyama H, Horiuchi Y, Sano H, Nagamine Y, Tanahashi N. Clinical characteristics of cardioembolic transient ischemic attack: comparison with noncardioembolic transient ischemic attack. J Stroke Cerebrovasc Dis 23: 2169-2173, 2014</p>

画像診断科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年
<p>Watadani T, Sakai F, Johkoh T, Noma S, Akira M, Fujimoto K, Bankier AA, Lee KS, Müller NL, Song JW, Park JS, Lynch DA, Hansell DM, Remy-Jardin M, Franquet T, Sugiyama Y. Interobserver variability in the CT assessment of honeycombing in the lungs. Radiology 2013; 266:936-944</p>

Johkoh T, Sakai F, Noma S, Akira M, Fujimoto K, Watadani T, Sugiyama Y Honeycombing on CT; its definition, pathologic correlation, and future direction of its diagnosis. Eur J Radiol 2013 Jun 24 [Epub ahead of print]
FUJIMOTO K, HARA M, TOMIYAMA N, KUSUMOTO

FUJIMOTO K, HARA M, TOMIYAMA N, KUSUMOTO M, SAKAI F and FUJII Y. Proposal for a new mediastinal compartment classification of transverse plane images according to the Japanese Association for Research on the Thymus (JART) General Rules for the Study of Mediastinal Tumors
ONCOLOGY REPORTS e-pub ahead print DOI: 10.3892/or.2013.2904

放射線腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

Takanori Abe, Takeshi Ebara, Kazunori Miyaura, Yu Kumazaki, Mitsuhiro Nakahira, Masashi Sugawara, Naoto Shikama, Shingo Kato. Malignant melanoma of the nasal cavity treated with stereotactic radiotherapy using CyberKnife: Report of 2 cases. Am J Otolaryngol. 2015, 36(2): 306-309.

Shikama N, Kumazaki Y, Miyazawa K, Miyaura K, Kato S, Nakamura N, Kawamori J, Shimizuguchi T, Saito N, Saeki T Symptomatic Radiation Pneumonitis After Accelerated Partial Breast Irradiation Using Three-dimensional Conformal Radiotherapy. Anticancer Res. 2016 May;36(5):2475-9.

心臓内科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

Tanno J, Nakano T, Ako J, Nakamura S, Senbonmatsu T, Nishimura S (2015) Increase in ultrasonic intensity of blood speckle across moderate coronary artery stenosis is an independent predictor of functional coronary artery stenosis measured by fractional flow reserve: pilot study. PLoS One 10: e0116727.

Matsuo H(1), Matsumura M(2), Nakajima Y(3), Ogawa T(4), Tazaki J(5), Doi T(6), Yamada N(7), Koide T(8), Mo m(9), Suzuki T(10), Sarai N(10), Nakajima H(10).

Author information:

(1) Matsuo Vascular Ultrasound Laboratory, Matsuo Clinic, Suita, Osaka, Japan.

Electronic address:hiro-matu@fan.hi-ho.ne.jp.(2)Department of Cardiology,

Saitama Medical University International Medical Center, Hidaka, Saitama, Japan.

(2)Department of Cardiology, Saitama Medical University International Medical Center, Hidaka, Saitama, Japan; Department of Internal Medicine, Sakado Central Hospital, Sakado, Saitama, Japan. (4)Cardiovascular Disease Center, Fukushima, Japan. (5)Department of Cardiovascular Medicine, Graduate School of Medicine, Kyoto University, Kyoto, Kyoto, Japan.

(6)Department of Cardiovascular Medicine, Graduate School of Medicine, Kyoto University, Kyoto, Kyoto, Japan; Department of Clinical Laboratory, Kyoto University Hospital, Kyoto, Kyoto, Japan. (7)Department of Cardiology and Nephrology, Mie University Graduate School of Medicine, Tsu, Mie, Japan.

<p>(8)Department of Cardology, Takarazuka Municipal Hospital, Takarazuka, Hyogo, Japan.(10)Development&Medical Affairs Division, GlaxoSmithKline K.K., Shibuya, Tokyo, Japan.</p>
<p>Nagase T., Kato R., Nakano S., Shiki Y., Tanaka S., Ikeda Y., Iwanaga S., Nishimura S., Matsumoto K. Prediction of Improvement in Left Atrial Function Index after Catheter Ablation for Atrial Fibrillation. <i>Journal of Interventional Cardiovascular Electrophysiology</i>. 44(2):151-160. 2015</p>
<p>Eur Heart J Acute Cardiovasc Care. 2015 Jul 6. pii: 2048872615594498. [Epub ahead of print] Clinical implications of pleural effusion in patients with acute type B aortic dissection. Yamada Y¹, Tanno J¹, Nakano S², Kasai T³, Senbonmatsu T¹, Nishimura S¹.</p>
<p>Echocardiography. 2015 Feb;32(2):272-80. doi: 10.1111/echo.12647. Epub 2014 Jun 11. Left atrial appendage wall-motion velocity associates with recurrence of nonparoxysmal atrial fibrillation after catheter ablation. Ariyama M¹, Kato R, Matsumura M, Yoshimoto H, Nakajima Y, Nakano S, Kasai T, Tanno J, Senbonmatsu T, Matsumoto K, Nishimura S.</p>
<p>Cardiovasc Res. 2016 Mar 1;109(3):350-7. doi: 10.1093/cvr/cvv267. Epub 2015 Dec 8. Neural crest-derived resident cardiac cells contribute to the restoration of adrenergic function of transplanted heart in rodent. Tamura Y¹, Sano M², Nakamura H³, Ito K², Sato Y², Shinmura K², Ieda M², Fujita J², Kurosawa H⁴, Ogawa S⁵, Nakano S⁶, Matsuzaki M³, Fukuda K².</p>

骨軟部組織腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年
<p>Wakayama T, Imanishi J, Yazawa Y, Okubo T, Kaneko K; Bilateral non-osteochondroma-related proximal tibiofibular synostosis. <i>Skeletal Radiol</i>2014 [accepted]</p>
<p>Akiyama T, Saita K, Ogura K, Kawai A, <u>Imanishi J</u>, Yazawa Y, Kawashima N, Ogata T (corresponding author). The effect of an external hip joint stabiliser on gait function after surgery for tumours located around the circumference of the pelvis: Analysis of 7 cases of internal hemipelvectomy or proximal femur resection. <i>Int Orthopaedics</i> 2016 Mar;40(3):561-7. doi: 10.1007/s00264-015-3023-0. Epub 2015 Nov 10.</p>
<p><u>Imanishi J (corresponding author)</u>, Yazawa Y, Saito T, Shimizu M, Kawashima H, Ae K, Matsumine A, Torigoe T, Sugiura H, Joyama S. Atypical and malignant granular cell tumors in Japan: a Japanese Musculoskeletal Oncology Group (JMOG) study. <i>Int J Clin Oncol</i>. 2016 Jan 13. doi: 10.1007/s10147-016-0949-1 [Epub ahead of print]</p>

Wakayama T, Imanishi J (corresponding author), Yazawa Y, Okubo T, Kaneko K: Bilateral non-osteochondroma-related proximal tibiofibular synostosis. *Skeletal Radiol.* 2014 Dec;43(12):1737-42. doi: 10.1007/s00256-014-1932-4.

小児心臓外科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

Suzuki T, Masuoka A, Uno Y, Iwazaki M, Yamagishi S, Katogi T. Cardiopulmonary bypass through a left thoracotomy using venous drainage from the innominate vein in congenital heart surgery. *J Card Surg* 2013;28(5):591-4

造血器腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

Matsuda A, Jinnai I, Iwanaga M, Okamura D, Ishikawa M, Maeda T, Hata T, Kawai N, Miyazaki Y, Bessho M, Tomonaga M. Correlation Between Dysplastic Lineage and Type of Cytopenia in Myelodysplastic Syndromes Patients With Refractory Anemia According to the FAB Classification. *Am J Clin Pathol* 140: 253-257, 2013.

消化器腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

権田憲士, 柴田昌彦, がん外来化学療法チームマネジメント, がん外来療法チームマネジメントー 埼玉医科大学国際医療センターでの検証と未来像ー, 1巻/39-85/2015年

泌尿器腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

城武卓(埼玉医科大学国際医療センター), 小山政史, 坂本博史, 初鹿野俊輔, 古平喜一郎, 渡邊徹, 伊藤浩紀, 松田香, 中村倫之助, 加藤裕二, 安原克彦, 益山恒夫, 北嶋将之, 堀永実, 朝倉博孝, 鈴木隆大, 重城裕, 雨宮裕, 湯浅譲治, 井坂茂夫, 城谷建二, 角谷秀典, 濱野達也, 川口拓也, 石引雄二, 上野宗久: 埼玉北部・西部地区の前立腺癌登録に関する多施設共同研究. 埼玉県医学会雑誌48巻2号: 439-44, 2014

頭頸部腫瘍科

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

松村 聡子, 井上 準, 久場 潔実, 大庭 晋, 南 和彦, 小柏 靖直, 蝦原 康宏, 中平 光彦, 菅澤 正/当科における外耳道がん症例の臨床的検討/耳鼻咽喉科・頭頸部外科/88巻10号/765-769/2016

著者（全員）／研究課題名／掲載雑誌名／巻数／頁／掲載年

Fujino Y, Amimoto K, Fukata K, Ishihara S, Makita S, Takahashi H: Does training sitting balance on a platform tilted 10° to the weak side improve trunk control in the acute phase after stroke? A randomized, controlled trial. Top Stroke Rehabil 23: 43-49, 2016.